SUBSTITUTE FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE (MODIFIED) U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		Attorney Docket No.	00786/540002
		Serial No.	10/564,744
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) (37 C.F.R. § 1.98(b))		Applicant	Gardella et al.
		Filing Date	March 3, 2006
		Group	1654
		IDS Filed	March 24, 2010

U.S. PATENT DOCUMENTS			NT DOCUMENTS
Examiner's Initials	Document Number	Publication Date	Patentee or Applicant
/AG/	4,086,196	Apr. 25, 1978	Tregear
	4,366,241	Dec. 28, 1982	Tom et al.
	4,423,037	Dec. 27, 1983	Rosenblatt et al.
	4,511,502	Apr. 16, 1985	Builder et al.
	4,512,922	Apr. 23, 1985	Jones et al.
	4,518,526	May 21, 1985	Olson
	4,620,948	Nov. 4, 1986	Builder et al.
	4,698,328	Oct. 6, 1987	Neer et al.
	4,736,866	Apr. 12, 1988	Leder et al.
	4,761,406	Aug. 2, 1988	Flora et al.
	4,843,000	Jun. 27, 1989	Litman et al.
	4,849,338	Jul. 18, 1989	Litman et al.
	5,010,010	Apr. 23, 1991	Gautvik et al.
	5,208,041	May 4, 1993	Sindrey
	5,217,896	Jun. 8, 1993	Kramer et al.
	5,227,487	Jul. 13, 1993	Haughland et al.
	5,274,113	Dec. 28, 1993	Kang et al.
	5,326,692	Jul. 5, 1994	Brinkley et al.
	5,350,836	Sep. 27, 1994	Kopchick et al.
V	5,382,658	Jan. 17, 1995	Kronis et al.
/AG/	5,393,869	Feb. 28, 1995	Nakagawa et al.

EXAMINER	/Anish Gupta/	DATE CONSIDERED	07/01/2010		
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this					

	SUBSTITUTE FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE (MODIFIED) PATENT AND TRADEMARK OFFICE		Attorney Docket No.	00786/540002		
			Serial No.	10/564,744		
	INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		Applicant	Gardella et al.		
			Filing Date	March 3, 2006		
			(Use several sneets if necessary)		Group	1654
			IDS Filed	March 24, 2010		

U.S. PATENT DOCUMENTS			
/AG/	5,405,975	Apr. 11, 1995	Kuhn et al.
	5,433,896	Jul. 18, 1995	Kang et al.
	5,442,045	Aug. 15, 1995	Haugland et al.
	5,451,663	Sep. 19, 1995	Kang et al.
	5,453,517	Sep. 26, 1995	Kuhn et al.
	5,457,034	Oct. 10, 1995	della Valle et al.
	5,459,276	Oct. 17, 1995	Kuhn et al.
	5,462,856	Oct. 31, 1995	Lerner et al.
•	5,496,801	Mar. 5, 1996	Holthuis et al.
	5,501,979	Mar. 26, 1996	Geller et al.
	5,516,864	May 14, 1996	Kuhn et al.
	5,527,772	Jun. 18, 1996	Holick
	5,556,940	Sep. 17, 1996	Willick et al.
	5,573,909	Nov. 12, 1996	Singer et al.
	5,578,461	Nov. 26, 1996	Sherwin et al.
	5,589,452	Dec. 31, 1996	Krstenansky et al.
	5,605,815	Feb. 25, 1997	Broadus et al.
	5,616,560	Apr. 1, 1997	Geddes et al.
	5,648,270	Jul. 15, 1997	Kuhn et al.
	5,656,465	Aug. 12, 1997	Panicali et al.
	5,693,616	Dec. 2, 1997	Krstenansky et al.
V	5,695,955	Dec. 9, 1997	Krstenansky et al.
/AG/	5,717,062	Feb. 10, 1998	Chorev et al.
EXAMINER	/Anish Gupta	3/	DATE CONSIDERED 0//01/2010

EXAMINER: Initial citation considered. Draw fine through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.

SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE	Attorney Docket No.	00786/540002
(MODIFIED)	PATENT AND TRADEMARK OFFICE	Serial No.	00786/540002 10/564,744 Gardella et al. March 3, 2006 1654 March 24, 2010
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) (37 C.F.R. § 1.98(b))		Applicant Gardella et al.	
		Filing Date	March 3, 2006
		Group	1654
		IDS Filed	March 24, 2010

	U.S. PATENT DOCUMENTS			
/AG/	5,723,218	Mar. 3, 1998	Haugland et al.	
1	5,723,577	Mar. 3, 1998	Dong	
	5,741,486	Apr. 21, 1998	Pathak et al.	
	5,763,416	Jun. 9, 1998	Bonadio et al	
	5,798,225	Aug. 25, 1998	Krstenansky et al.	
	5,807,823	Sep. 15, 1998	Krstenansky et al.	
	5,821,225	Oct. 13, 1998	Vickery	
	5,836,905	Nov. 17, 1998	Lemelson et al.	
	5,840,690	Nov. 24, 1998	Holick	
	5,840,837	Nov. 24, 1998	Krstenansky et al.	
	5,854,004	Dec. 29, 1998	Czernilofsky et al.	
	5,871,486	Feb. 16, 1999	Huebner et al.	
	5,874,086	Feb. 23, 1999	Krstenansky et al.	
	5,880,093	Mar. 9, 1999	Bagnoli	
	5,917,123	Jun. 29, 1999	McTiernan et al.	
	5,922,927	Jul. 13, 1999	Bujard et al.	
	5,977,070	Nov. 2, 1999	Piazza et al.	
	6,030,790	Feb. 29, 2000	Adermann et al.	
	6,051,686	Apr. 18, 2000	Krstenansky et al.	
	6,066,618	May 23, 2000	Holick	
V	6,756,480	Jun. 29, 2004	Kostenuik et al.	
	7,253,264	Aug. 7, 2007	Lauffer et al.	
/AG/	7,572,765	Aug. 11, 2009	Gardella 07/04/0	
EXAMINER	/Anish Gupta/		DATE CONSIDERED	

EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.

SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE	Attorney Docket No.	00786/540002
(MODIFIED) PATENT AND TRADEMARK OFFICE		Serial No.	10/564,744
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) (37 C.F.R. § 1.98(b))		Applicant	Gardella et al.
		Filing Date	March 3, 2006
		Group	1654
		IDS Filed	March 24, 2010

14.01	U.S. PATENT DOCUMENTS					
/AG/	US 2002/0110871	Aug. 15, 2002	Zahradnik et al.			
	US 2003/0144209	Jul. 31, 2003	Bringhurst et al.			
	US 2003/0162256	Aug. 28, 2003	Juppner et al.			
	US 2003/0166838	Sep. 4, 2003	Gardella et al.			
	US 2003/0171288	Sep. 11, 2003	Stewart			
	US 2004/0176285	Sep. 9, 2004	Juppner et al.			
	US 2005/0124537	Jun. 9, 2005	Kostenuik et al.			
	US 2005/0203012	Sep. 15, 2005	Bringhurst et al.			
V	US 2005/0282749	Dec. 22, 2005	Henriksen et al.			
/AG/	US 2006/0078559	Apr. 13, 2006	Migeotte et al.			

	FOREIGN PATENT OR PUBLISHED FOREIGN PATENT APPLICATION				
Examiner's Initials	Document Number	Publication Date	Country or Patent Office	Translation (Yes/No)	
/AG/	AU 668118	Apr. 26, 1996	Australia		
	CA 2126132	Dec. 18, 1995	Canada		
	CA 2126299	Dec. 12, 2000	Canada		
	EP 0 341 962	Nov. 15, 1989	EPO		
	EP 0 464 533	Jan. 8, 1992	EPO	(Related publication provided)	
	EP 0 477 885	Apr. 1, 1992	EPO		
V	EP 0 561 412	Sep. 22, 1993	EPO		
/AG/	EP 0 748 817	Dec. 18, 1996	EPO		

I	EXAMINER	/Anish Gupta/		DATE CONSIDERED	07/01/2010	
		itial citation considered. ext communication to ap	Draw line through citation oplicant.	if not in conformance and	not considered. In	clude copy of this

07/04/0040

SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE	Attorney Docket No.	00786/540002
(MODIFIED)	PATENT AND TRADEMARK OFFICE	Serial No.	10/564,744
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) (37 C.F.R. § 1.98(b))		Applicant	Gardella et al.
		Filing Date	March 3, 2006
		Group	1654
		IDS Filed	March 24, 2010

FOREIGN PATENT OR PUBLISHED FOREIGN PATENT APPLICATION				
/AG/	EP 0 783 522	Jul. 16, 1997	EPO	Yes
	GB 2 269 176	Feb. 2, 1994	England	
	JP 58-96052	Jun. 7, 1983	JPO	(Abstract)
	JP 59-204159	Nov. 19, 1984	JPO	(Abstract)
	JP 5-32696	Feb. 9, 1993	JPO	(Related publication provided)
	JP 9-157294	Jun. 17, 1997	JPO	(Related publication provided)
	WO 87/001130	Feb. 26, 1987	WIPO	
	WO 91/005050	Apr. 18, 1991	WIPO	
	WO 92/001810	Feb. 6, 1992	WIPO	
	WO 92/017581	Oct. 15, 1992	WIPO	
	WO 92/017602	Oct. 15, 1992	WIPO	
	WO 93/006121	Apr. 1, 1993	WIPO	
	WO 93/006846	Apr. 15, 1993	WIPO	
	WO 93/009222	May 13, 1993	WIPO	
	WO 93/011257	Jun. 10, 1993	WIPO	Yes
	WO 94/002510	Feb. 3, 1994	WIPO	
	WO 94/012650	Jun. 9, 1994	WIPO	
	WO 95/002610	Jan. 26, 1995	WIPO	
	WO 95/011988	May 4, 1995	WIPO	
V	WO 96/003437	Feb. 8, 1996	WIPO	
/AG/	WO 96/010041	Apr. 4, 1996	WIPO	Yes

examiner /Anish Gupta/	DATE CONSIDERED 07/01/2010
EXAMINER: Initial citation considered. Draw line through citation form with the next communication to applicant.	n if not in conformance and not considered. Include copy of this

	SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE	Attorney Docket No.	00786/540002
	(MODIFIED)	PATENT AND TRADEMARK OFFICE	Serial No.	10/564,744
	INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		Applicant	Gardella et al.
			Filing Date	March 3, 2006
			Group	1654
i	(37 C.F.R. § 1.98(b))		IDS Filed	March 24, 2010

	FOREIGN PATENT OR PUBLISHED FOREIGN PATENT APPLICATION		
/AG/	WO 96/019206	Jun. 27, 1996	WIPO
1	WO 97/002834	Jan. 30, 1997	WIPO
	WO 98/005683	Feb. 12, 1998	WIPO
	WO 98/030590	Jul. 16, 1998	WIPO
	WO 99/018945	Apr. 22, 1999	WIPO
	WO 00/031137	Jun. 2, 2000	WIPO
	WO 00/031266	Jun. 2, 2000	WIPO
	WO 00/032771	Jun. 8, 2000	WIPO
	WO 00/032775	Jun. 8, 2000	WIPO
	WO 00/039278	Jul. 6, 2000	WIPO
	WO 00/040698	Jul. 13, 2000	WIPO
	WO 01/023427	Apr. 5, 2001	WIPO
	WO 01/023521	Apr. 5, 2001	WIPO
	WO 04/067021	Aug. 12, 2004	WIPO
V	WO 04/093902	Nov. 4, 2004	WIPO
/AG/	WO 05/009358	Feb. 3, 2005	WIPO

	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)
/AG/	Abou-Samra et al., "Phorbol 12-Myristate 13-Aostate and Vasopressin Potentiate the Effect of Corticotropin- Releasing Factor on Cyclic AMP Production in Raf Anterior Pituitary Cells. Mechanisms of Action," J. Biol. Chem. 252, 1128-1136 (1987).
/AG/	Abou-Samra et al., "Non-Homologous Sequences of Parathyroid Hormone and the Parathyroid Hormone Related Peptide Bind to a Common Receptor on ROS 17/2.8 Cells," Endocrinology 125: 2215-2217 (1989).

EXAMINER	/Anish Gupta/	DATE CONSIDERED	07/01/2010
	al citation considered. Draw line through citation to communication to applicant.	n if not in conformance and not co	nsidered. Include copy of this

	SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE	Attorney Docket No.	00786/540002
	(MODIFIED)	PATENT AND TRADEMARK OFFICE	Serial No.	10/564,744
	INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		Applicant	Gardella et al.
			Filing Date	March 3, 2006
			Group	1654
	(37 C.F.R. § 1.98(b))		IDS Filed	March 24, 2010

		THE STATE OF THE S
		OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)
/AG/		Abou-Sarra et al., "Cyclic Adenosine 3", 5"-Monophosphate (cAMP)-Dependent and cAMP-Independent Regulation of Parathyroid Homories Recopits on UMR 106-01 Osteoblastic Osteosarcoma Cells," Endocrinology 128: 2547-2554 (1991).
		Abou-Samra et al., "Expression Cloning of a Common Receptor for Parathyroid Hormone and Parathyroid Hormone-Related Peptide From Ratl Osteoblast-Like Cells: A Single Receptor Stimulates Intracellular Accumulation of Both CAMP and Inositol Trisphosphates and Increases Intracellular Free Calcium," Proc. Natl. Acad. Sci. USA 89: 2732-2736 (1992).
		Abou-Samra et al., "Down-Regulation of Parathyroid (PTH)/PTH-Related Peptide Receptor Immunoreactivity and PTH Binding in Opossum Kidney Cells by PTH and Dexamethasone," Endocrinology 135: 2588-2594 (1994).
		Adams et al., "Trobing the Birnolecular Interactions of Parathyroid Homone and the Human Parathyroid Homone/Parathyroid Homone-Related Protein Receptor. 2, Cloning, Characterization, and Photoaffinity Labeling of the Recombinant Human Receptor," <i>Biochemistry</i> 34, 10553-10539 (1989).
		Alberts et al., "Chapter 6: Basic Genetic Mechanisms" in: Molecular Biology of The Cell, 3rd Edition, pp. 234-237 and the Genetic Code Table (Garland Pub., New York, NY, 1994).
		Azarani et al., "Parathyroid Hormone and Parathyroid Hormone-Related Peptide Activate the Na+ /H+ Exchanger NHE-1 isoform in Osteoblastic Cells (UMR-108) via a CAMP-dependent Pathway," J. Biol. Chem. 270, 23166-23172 (1986).
(PTHRP) Inhibit the Na+/H+		Azarani et al., "Structurally Diverse N-terminal Peptides of Parathyroid Hormone (PTH) and PTH-Related Peptide (PTHRP) inhibit his NariH+ Exchanger NiES leoform by Binding to the PTHPTHRP Receptor Type I and Activating Distinct Signaling Pathways, "J. Biol. Activation 21:1436 (1986).
		Barbier et al., "Bioactivities and Secondary Structures of Constrained Analogues of Human Parathyroid Hormone: Cyclic Lactams of the Receptor Binding Region," <i>J. Med. Chem.</i> 40: 1373-1380 (1997).
		Barbier et al., "Structural Requirements for Conserved Arginine of Parathyroid Hormone," <i>Biochemistry</i> 40: 8955-8961 (2001).
		Barbier et al., "Backbone-Methylated Analogues of the Principle Receptor Binding Region of Human Parathyroid Hormone. Evidence for Binding to Both the N-Terminal Extracellular Domain and Extracellular Loop Region," J.
,	,	Barden et al., "NMR Study of a 34-Residue N-Terminal Fragment of a Parathyroid Hormon-Related Protein Secreted During Humoral Hypercalcemia of Malignancy," <i>Eur. J. Biochem.</i> 184: 379-394 (1989).
/A	.G/	Barden et al., "Stabilized NMR Structure of the Hypercalcemia of Malignancy Peptide PTHrP[Ala-26](1-34)Amide," Biochim. Biophys. Acta 1208: 256-262 (1994).

l	EXAMINER	/Anish Gupta/	DATE CONSIDERED	07/01/2010
	EXAMINER: Initia	al citation considered. Draw line through citation	on if not in conformance and	not considered. Include copy of this

SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	Attorney Docket No.	00786/540002
(MODIFIED)		Serial No.	10/564,744
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) (37 C.F.R. § 1.98(b))		Applicant	Gardella et al.
		Filing Date	March 3, 2006
		Group	1654
		IDS Filed	March 24, 2010

	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)
/AG/	Becker et al., "Procedure Guideline for Thyroid Scintigraphy: 1.0. Society of Nuclear Medicine," J. Nucl. Med. 37: 1264-1266 (1998).
	Behar et al., "Histidine at Position 5 is the Specificity "Switch" between Two Parathyroid Hormone Receptor Subtypes," Endocrinology 137: 4217-4224 (1996).
	Bergwitz et al., "Residues in the Membrane-spanning and Extracellular Loop Regions of the Parathyroid Homone (PTH)-2 Receptor Determine Signaling Selectivity for PTH and PTH-Related Peptide," J. Biol. Chem. 272: 28801-28
	Bergwitz et al., "Identification, Functional Characterization, and Developmental Expression of Two Nonallelic Parathyroid Hormone (PTH)/PTH-Helated Peptide Receptor Isoforms in Xenopus laevis (Daudin)," Endocrinoby; 13er :22-32 (1999).
	Berlot, "A Highly Effective Dominant Negative Alpha s Construct Containing Mutations that Affect Distinct Functions Inhibits Multiple Gs-Coupled Receptor Signaling Pathways," J. Biol. Chem. 277: 21080-21085 (2002).
	Bettoun et al., "Cloning and Characterization of the Promoter Regions of the Human Parathyroid Hormone (PTH)PTH-Related Peptide Receptor Gene. Analysis of Deoxyribonucleic Acid from Normal Subjects and Patients with Pseudohypoparathyroidism Type I via". Clin. Endocardo. Metab. 8, 21031-1040 (1997).
	Bettoun et al., "Developmental Upregulation of Human Parathyroid Homone (PTH)/PTH-Related Peptide Receipbr Gene Expression from Conserved and Human-specific Promoters," J. Clin. Invest. 102: 955-967 (1990).
	Bisello et al., "Selective Ligand-Induced Stabilization of Active and Desensitized Parathyroid Hormone Type 1 Receptor Conformations," <i>J. Biol. Chem.</i> 277: 38524-38530 (2002).
	Bork et al., "Go Hunting in Sequence Databases but Watch Out for the Traps," <i>Trends Genet.</i> 12: 425-427 (1996).
	Bork, "Powers and Pitfalls in Sequence Analysis: The 70% Hurdle," Genome Res. 10: 398-400 (2000).
	Born et al., "Inhibition of Parathyroid Hormone Bioactivity by Human Parathyroid Hormone (PTH)-(3-84) and PTH-(8-84) Synthesized in Escherichia coli," <i>Endocrinology</i> 123:1848-1853 (1988).
	Bos et al., "Expression of the Parathyroid Hormone Receptor and Correlation with Other Osteoblastic Parameter in Fetal Rat Osteoblasts," Calcif. Tisse Int. 58:95-100 (1996).
/AG/	Brenner, "Errors in Genome Annotation," Trends Genet. 15: 132-133 (1999).

EXAMINER /Anish Gupta/	DATE CONSIDERED 07/01/2010
EXAMINER: Initial citation considered. Draw line through citatic form with the next communication to applicant.	n if not in conformance and not considered. Include copy of this

SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE	Attorney Docket No.	00786/540002
(MODIFIED)	PATENT AND TRADEMARK OFFICE	Serial No.	10/564,744
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		Applicant	Gardella et al.
		Filing Date	March 3, 2006
		Group	1654
(37 C.F.R. § 1.98(b))		IDS Filed	March 24, 2010

	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)
/AG/	Bringhurst et al., "Cloned, Stably Expressed Parathyroid Hormone (PTH)/PTH-Related Peptide Receptors Activate Multiple Messenger Signals and Biological Responses in LLC-PK1 Kidney Cells," Endocrinology 132: 2090-2098 (19
	Broadus et al., "Parathyroid Hormone-Related Protein: Structure, Processing, and Physiological Actions," in: The Parathyroids (eds. J. P. Bilezikan et al.), pp. 259-294 (Raven Press Ltd., New York, NY, 1994).
	Bryant et al., "Helix-Inducing α-Aminoisobutyric Acid in Opioid Mimetic Deltorphin C Analogues," J. Med. Chem. 40: 2579-2587 (1997).
	Bundl et al., "Characterisation of a Local Structure in the Synthetic Parathyroid Hormone Fragment 1-34 by 1H Nuclear-Magnetic-Resonance Techniques," Eur. J. Biochem. 91: 201-208 (1978).
	Campbell et al., "Totipotency or Multipotentiality of Cultured Cells: Applications and Progress," <i>Theriogenology</i> 47: 63-72 (1997).
	Carter et al., "Studies of the N-Terminal Region of a Parathyroid Hormone-Related Peptide(1-38) Analog: Receiptor Subtype-Selective Agonists, Antagonists, and Photochemical Cross-Linking Agents," <i>Endocrinology</i> 140: 4972-4981 (1999).
	Castro et al., "Dual Regulation of the Parathyroid Hormone (PTH)/PTH-Related Peptide Receptor Signaling by Protein Kinase C and Beta-Arrestins," Endocrinology 143: 3854-3865 (2002).
	Castro et al., "Turn-On Switch in Parathyroid Hormone Receptor by a Two-Step Parathyroid Hormone Binding Mechanism," <i>Proc. Natl. Acad. Sci. USA</i> 102: 16084-16089 (2005).
	Catanzariti et al., "A Novel Expression System for Gs-Coupled Receptors," BioTechniques 15: 474-479 (1993).
	Cauffield et al., "The Bovine Renal Parathyroid Hormone (PTH) Receptor has Equal Affinity for Two Different Amino Acid Sequences: The Receptor Binding Domains of PTH and PTH-related Protein are Located within the 14-34 Region," Endocranology 12:7: 83-87 (1993).
	Caulfield et al., "Parathyroid Hormone-Receptor Interactions," Trends Endocrinol. Metab. 1: 164-168 (1990).
$\overline{\mathbf{V}}$	Cervini et al., "Human Growth Hormone-Releasing hGHRH(1-29)-NH2: Systematic Structure-Activity Relationship Studies," J. Med. Chem. 41: 717-727 (1998).
/AG/	Chakrabartty, "Large Differences in the Helix Propensities of Alanine and Glycine," Nature 351: 586-588 (1991).

EXAMINER /Anish Gupta/	DATE CONSIDERED 07/01/2010	
EXAMINER: Initial citation considered. Draw line through citation form with the next communication to applicant.	on if not in conformance and not considered. Include copy of this	

SUBSTITUTE FORM PTO-1449	U.S. DEPARTIMENT OF COMMERCE	Attorney Docket No.	00786/540002
(MODIFIED)	PATENT AND TRADEMARK OFFICE	Serial No.	10/564,744
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		Applicant	Gardella et al.
		Filing Date	March 3, 2006
		Group	1654
(37 C.F.R. § 1.98(b))		IDS Filed	March 24, 2010

OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)		
/AG/	Chakravarrhy et al., "Parathyroid Hormone Fragment [3-34] Stimulates Protein Kinase C (PKC) Activity in Rat Osleosarcoma and Murine T-lymphoma Cells," Biochem. Biophys. Res. Commun. 171: 1105-1110 (1990).	
	Chauvin et al., "Parathyroid Hormone Receptor Recycling: Role of Receptor Dephosphorylation and Beta- Arrestin," Mol. Endocrinol. 16: 2720-2732 (2002).	
	Chorev et al., "Modifications of Position 12 in Parathyroid Hormone and Parathyroid Hormone Related Protein: Toward the Design of Highly Potent Antagonists," <i>Biochemistry</i> 29: 1580-1586 (1990).	
	Chorev et al., "Cyclic Parathyroid Hormone Related Protein Antagonists: Lysine 13 to Aspartic Acid 17 [i to (i + 4)] Side Chain to Side Chain Lactamization," Biochemistry 30: 5968-5974 (1991).	
	Chu et al., "Porcine Proparathyroid Hormone. Identification, Biosynthesis, and Partial Amino Acid Sequence," Biochemistry 14: 3631-3635 (1975).	
	Civitelli et al., "PTH Elevates Inositol Polyphosphates and Diacylglycerol in a Rat Osteoblast-Like Cell Line," Am. J. Physiol. 255: E660-667 (1988).	
	Civitelli et al., "Parathyroid Hormone-Related Peptide Transiently Increases Cytosolic Calcium in Osteoblast-Like Cells: Comparison with Parathyroid Hormone," Endocrinology 125: 1204-1210 (1989).	
	Cohen et al., "Analogues of Parathyroid Hormone Modified at Positions 3 and 6. Effects on Receptor Binding and Activation of Adenylyl Cyclase in Kidney and Bone," J. Biol. Chem. 266: 1997-2004 (1991).	
	Coie et al., "Regulation of Sodium-Dependent Phosphate Transport by Parathyroid Hormone in Opossum Kidney Cells: Adenosine 3', 5'-Monophosphate-Dependent and -Independent Mechanisms," <i>Endocrinology</i> 122: 2981-2899 (1988).	
	Colquhoun, "Binding, Gating, Affinity, and Efficacy. The Interpretation of Structure-Activity Relationships for Agonists and of the Effects of Mutating Receptors," <i>Br. J. Pharmacol.</i> 125: 924-947 (1998)	
	Oxirla et al., "Peptide Agonist of the Thrombopoietin Receptor as Potent as the Natural Cytokine," Science 276: 1696-1699 (1997).	
	Dang et al., "Gene Therapy and Translational Cancer Research," Clin. Cancer Res. 5: 471-474 (1999).	
\/	Dautzenberg et al., "Mapping of the Ligand-Selective Domain of the Xenopus laevis Corticotropin-Releasing Factor Receptor 1: Implications for the Ligand-Binding Site," Proc. Natl. Acad. Sci. USA 95: 4941-4946 (1998).	
/AG/	DeAlmeida et al., "Identification of Binding Domains of the Growth Hormone-Releasing Hormone Receptor by Analysis of Mutant and Chimeric Receptor Proteins," Mol. Endocrinol. 12: 750-765 (1998).	

EXAMINER /Anish Gupta/		DATE CONSIDERED 07/01/2010
	EXAMINER: Initial citation considered. Draw line through citation form with the next communication to applicant	if not in conformance and not considered. Include copy of this

SUBSTITUTE FORM PTO-1449	PATENT AND TRADEMARK OFFICE	Attorney Docket No.	00786/540002
(MODIFIED)		Serial No.	10/564,744
(Use several sheets if necessary)		Applicant	Gardella et al.
		Filing Date	March 3, 2006
		Group	1654
(37 C.F.R. § 1.98(b))		IDS Filed	March 24, 2010

	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)
/AG/	Dean et al., "Mechanisms of Ligand Binding to the Parathyroid Hormone (PTH)/PTH-Related Protein Receptor: Selectivity of a Modified PTH(1-15) Radioligand for GalphaS-Coupled Receptor Conformations," Mol. Endocrinol. 20: 831-943 (2020).
	Ding et al., "A Single Amino Acid Determines the Immunostimulatory Activity of Interleukin 10," <i>J. Exp. Med.</i> 191: 213-223 (2000).
	Doerks et al., "Protein Annotation: Detective Work for Function Prediction," Trends Genet. 14: 248-250 (1998).
	Dohlman et al., "Model Systems for the Study of Seven-Transmembrane-Segment Receptors," <i>Annu. Rev. Biochem.</i> 60: 653-688 (1991).
	Donahue et al., "Differential Effects of Parathyroid Hormone and Its Analogues on Cytosolic Calcium Ion and cAMP Lavels in Cultured Rat Osteoblast-Like Cells," J. Biol. Chem. 263: 13522-13527 (1988).
	Dong et al., "Demonstration of a Direct Interaction between Residue 22 in the Carboxyl-Terminal Half of Secretin and the Amino-Terminal Tall of the Secretin Receptor Using Photoaffinity Labeling," <i>J. Biol. Chem.</i> 274: 903-809 (1999).
	Dunlay et al., "PTH Receptor Coupling to Phospholipase C is an Alternate Pathway of Signal Transduction in Bone and Kidney," Am. J. Physiol. 258: F223-F231 (1990).
	Ebert et al., "A Moloney MLV-Rat Somatotropin Fusion Gene Produces Biologically Active Somatotropin in a Transgenic Pig," <i>Mol. Endocrinol.</i> 2: 277-283 (1988).
	Epand, "Relationships Among Several Different Non-Homologous Polypeptide Hormones," Mol. Cell Biochem. 57: 41-47 (1983).
	Fischer et al., "Human Parathyroid Hormone. Immunological Characterization of Antibodies Against a Glandular Extract and the Synthetic Amino-Terminal Fragments 1-12 and 1-34 and their Use in the Determination of immunor
	Freyaldenhoven et al., "Protein Kinase C Differentially Modulates PTH- and PGE2 -Sensitive Adenylate Cyclase in Osteoblast-Like Cells," Am. J. Physiol. 262: E87-E95 (1992).
	Fujimori et al., "Dissociation of Second Messenger Activation by Parathyroid Hormone Fragments in Osteosarcoma Cells," Endocrinology 128: 3032-3039 (1991).
$\overline{\mathbf{V}}$	Fujimori et al., "Structure-Function Relationship of Parathyroid Hormone: Activation of Phospholipase-C, Protein Kinase-A and -C in Osteosarcoma Cells," <i>Endocrinology</i> 130: 29-36 (1992).
/AG/	Fukayama et al., "Mechanisms of Desensitization to Parathyroid Hormone in Human Osteoblast-Like SaOS-2 Cells," Endocrinology 131: 1757-1769 (1992).
EXAMINER	/Anish Gupta/ DATE CONSIDERED 07/01/2010
EXAMINER: Inition form with the ne	tial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this ext communication to applicant.

SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE	Attorney Docket No.	00786/540002
(MODIFIED)	PATENT AND TRADEMARK OFFICE	Serial No.	10/564,744
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) (37 C.F.R. § 1,98(b))		Applicant	Gardella et al.
		Filing Date	March 3, 2006
		Group	1654
		IDS Filed	March 24, 2010

OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)
Fuksyama et al., "Role of Protein Kinase-A in Homologous Down-Regulation of Parathyroid Hormone (PTH)/PTH-Related Peptide Recapts Messenger Ribonucleic Acid in Human Osteoblast-Like Sa/OS-2 Cells," Endocrinology 134: 1851-1858 (1994).
Gaich et al., "Amino-Terminal Parathyroid Hormone-Related Protein: Specific Binding and Cytosolic Calcium Responses in Rat Insulinoma Cells," <i>Endocrinology</i> 132: 1402-1409 (1993).
Gardella et al., "Expression of Human Parathyroid Hormone-(1-84) in Escherichia coli as a Factor X-cleavable Fusion Protein," J. Biol. Chem. 265: 15854-15859 (1990).
Gardella et al., "Mutational Analysis of the Receptor-Activating Region of Human Parathyroid Hormone," J. Biol. Chem. 266: 13141-13146 (1991).
Gardella et al., "Scanning Mutagenesis of the 23-35 Region of Parathyrold Hormone Reveals Important Determinants of Receptor Slinding," in: Calcium Regulating Hormones and Bone Metabolism: Basic and Clinical Aspects (eds. Dv. Cohn et al.), vol. 11, pp. 218-222 (Excepts Medica, Amisterdam, 1992).
Gardella et al., "Determinants of [Arg2]PTH-(1-34) Binding and Signaling in the Transmembrane Region of the Parathyroid Hormone Receptor," Endocrinology 135: 1186-1194 (1994).
Gardella et al., "Parathyroid Hormone (PTH)-PTH-Related Peptide Hybrid Peptides Reveal Functional Interactions Between the 1-14 and 15-34 Domains of the Ligand," <i>J. Biol. Chem.</i> 270: 6584-6588 (1995).
Gardella et al., "Converting Parathyroid Hormone-Related Peptide (PTHrP) into a Potent PTH-2 Receptor Agonist," J. Biol. Chem. 271: 19888-19893 (1996).
Gardella et al., "Transmembrane Residues of the Parathyroid Hormone (PTH)/FTH-Related Peptide Receptor that Specifically Affect Binding and Signaling by Agonist Ligands," J. Biol. Chem. 271: 12820-12825 (1996).
Gensure et al., "Multiple Sites of Contact between the Carboxyl-Terminal Binding Domain of PTH:P-(1-36) Analogs and the Amino-Terminal Extraoellular Domain of the PTH:PTH:P Receptor Identified by Photoaffinity Cross-Linking." J. Biol. Chem. 276: 28650-28658 (2001).
Gensure et al., "Parathyroid Hormone and Parathyroid Hormone-Related Peptide, and their Receptors," Biochem. Biophys. Res. Commun. 328: 666-678 (2005).
Goltzman et al., "Influence of Guanyl Nucleotides on Parathyroid Hormone-Stimulated Adenylyl Cyclase Activity in Renal Cortical Membranes," <i>Endocrinology</i> 103: 1352-1360 (1978).
Goltzmann et al., "Analysis of the Requirements for Parathyroid Hormone Action in Renal Membranes with the Use of Inhibiting Analogues," <i>J. Biol. Chem.</i> 250: 3199-3203 (1975).
_

EXAMINER /Anish Gupta/		DATE CONSIDERED 07/01/2010		
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Incliform with the next communication to applicant.			d not considered. Include copy of this	

	SUBSTITUTE FORM PTO-1449	BSTITUTE FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE	Attorney Docket No.	00786/540002
	(MODIFIED)	PATENT AND TRADEMARK OFFICE	Serial No.	10/564,744
	INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		Applicant	Gardella et al.
			Filing Date	March 3, 2006
			Group	1654
	(37 C.F.R. § 1.98(b))		IDS Filed	March 24, 2010

OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)	
/AG/	Gombert et al., "Alanine and D-Amino Acid Scan of Human Parathyroid Homnone," in: Peptides: Chemistry, Structure and Biology (eds. P.T.P. Kaumaya et al.), pp. 661-662 (Mayflower Sci. Ltd., England, 1998).
	Grace et al., "NMR Structure and Peptide Hormone Binding Site of the First Extracellular Domain of a Type B1 G Protein-Coupled Receptor," <i>Proc. Natl. Acad. Sci. USA</i> 101: 12836-12841 (2004),
	Greenberg et al., "Mapping the Bimolecular Interface of the Parathyroid Hormone (PTH)-PTH1 Receptor Complex: Spatial Proximity between Lys(27) (of the Hormone Principal Binding Domain) and Leu(261) (of the First Extracellular Loop) of the Human PTH1 Receptor," <i>Biochemistry</i> 39: 8142-8152 (2000).
	Guo et al., "Parathyroid Hormone (PTH)/PTH-Related Peptide Receptor Density Modulates Activation of Phospholipase C and Phosphate Transport by PTH in LLC-PK1 Cells," Endocrinology 136: 3884-3891 (1995).
	Hebashita et at., "Synthesis and Biological Activities of hPTH(1:34) Analogues: Modification of the Middle Part and C-lerminal Alkylamides," in: Peptide Science-Present and Future: Proceedings of the 1st International Pe
	Hammer et al., "Genetic Engineering of Mammalian Embryos," J. Anim. Sci. 63: 269-278 (1986).
	Heinrich et al., "Gene Encoding Parathyroid Hormone. Nucleotide Sequence of the Rat Gene and Deduced Amino Acid Sequence of Rat Preproparathyroid Hormone," <i>J. Biol. Chem.</i> 259: 3320-3329 (1984).
	Heinrich et al., "Rat Parathyroid Hormone Gene, Exons II and III," Alignment result 8, SEQ ID NO: 1, Database: GenEmbl, Accession NO: K01268 (Apr. 27, 1993).
	Hilliker et al., "Truncation of the Amino Terminus of PTH Alters its Anabolic Activity on Bone In Vivo," Bone 19: 469-477 (1996).
	Hjorth et al., "Constitutive Activity of Glucagon Receptor Mutants," Mol. Endocrinol. 12: 78-86 (1998).
	Hoare et al., "Measurement of Agonist and Antagonist Ligand-Binding Parameters at the Human Parathyroid Homone Type I Receptor: Evaluation of Receptor States and Modulation by Guanine Nucleotide," J. Pharmacol. Exp. Ther. 28s. 1232–1333 (1998).
	Holtmann et al., "Critical Contributions of Amino-terminal Extracellular Domains in Agonist Binding and Activation of Secretin and Vasoactive Intestinal Polypeptice Receptors, Studies of Chimeric Receptors," J. Biol. Chem. 270: 14394–14398 (1995).
Holtmann et al., "Molecular Basis and Species Specificity of High Affinity Binding of Vasoactive Intestinal Polypeptice by the Rat Secretin Receptor. Effect of Receptor-6-Protein Interaction on the Ligand Binding Mechanism and Receptor Conformation." J. Pharmacoc. Exp. Ther. 279: 555-560 (1997).	

EXAMINER	/Anish Gupta/	DATE CONSIDERED	07/01/2010
	al citation considered. Draw line through citatio t communication to applicant.	n if not in conformance an	d not considered. Include copy of this

SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE	Attorney Docket No.	00786/540002
(MODIFIED)	PATENT AND TRADEMARK OFFICE	Serial No.	10/564,744
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		Applicant	Gardella et al.
		Filing Date	March 3, 2006
		Group	1654
(37 C.F.R. § 1.98(b))		IDS Filed	March 24, 2010

OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)		
/AG/		Horiuchi et al., "A Parathyroid Hormone Inhibitor In Vivo: Design and Biological Evaluation of a Hormone Analog," Science 220: 1053-1055 (1983).
		Horiuchi et al., "Evaluation of a Parathyroid Hormone Anlagonist in an In Vivo Multiparameter Bioassay," Am. J. Physiol. 253: E187-192 (1987).
		Hruska et al., "Stimulation of Inositol Trisphosphate and Diacylglycerol Production in Renal Tubular Cells by Parathyroid Hormone," J. Clin. Invest. 79: 230-239 (1987).
		lida-Klein et al., "Truncation of the Carboxy-terminal Region of the Rat Parathyroid Hormone (PTH)PTH-Related Peptide Receptor Enhances PTH Stimulation of Adenylyl Cyclase but Not Phospholipase C.* J. Biol. Chem. 270: 8456-8465 (1982).
		ilda-Klein et al., "Structural Requirements of Parathyroid Hormone/Parathyroid Hormone-Related Pepide Receptors for Phospholipase C Activation and Regulation of Phosphate Uptake," <i>Miner. Electrolyte Metab.</i> 21: 17-179
		ilda-Klein et al., "Mutations in the Second Cytoplasmic Loop of the Rat Parathyroid Homone (PTH)PTH-Related Protein Receptor Result in Selective Loss of PTH-stimulated Phospholipase C Activity." J. Biol. Chem. 272: 682
		Inomata et al., "Characterization of a Novel Parathyroid Hormone (PTH) Receptor with Specificity for the Carboxyl-Terminal Region of PTH-(1-84)," <i>Endocrinology</i> 136: 4732-4740 (1995).
		Ishihara et al., "Molecular Cloning and Expression of a cDNA Encoding the Secretin Receptor," EMBO J. 10: 1635-1641 (1991).
		Iwakura et al., "Effects of the Length of a Glycine Linker Connecting the N-and C-Termini of a Circularly Permuted Dihydrofolate Reductase," <i>Protein Eng.</i> 11: 707-713 (1998).
		Jans et al., "LLC-PK1 Cell Mutants in cAMP Metabolism Respond Normally to Phorbol Esters," FEBS Lett. 205: 127-131 (1986).
Janulis et al., "Structure-Function I D3 Production by Rat Renal Proxit		Janulis et al., "Structure-Function Requirements of Parathyroid Hormone for Stimulation of 1,25-Dihydroxyvitamin D3 Production by Rat Renal Proximal Tubules," <i>Endocrinology</i> 133: 713-719 (1993).
1	/	Ji et al., "Human Choriogonadotropin Binds to a Lutropin Receptor with Essentially No N-terminal Extension and Stimulates cAMP Synthesis," J. Biol. Chem. 266: 13076-13079 (1991).
/AG/		Jing et al., "GDNF-Induced Activation of the Ret Protein Tyrosine Kinase Is Mediated by GDNFR-alpha, a Novel Receptor for GDNF," Cell 85: 1113-1124 (1996).

EXAMINER /Anish Gupta/	DATE CONSIDERED	07/01/2010
EXAMINER: Initial citation considered. Draw line through citation form with the next communication to applicant.	if not in conformance and	d not considered. Include copy of this

SUBSTITUTE FORM PTO-1449	UTE FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE	Attorney Docket No.	00786/540002
(MODIFIED) PATENT AND TRADEMARK OFFICE		Serial No.	10/564,744
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		Applicant	Gardella et al.
		Filing Date	March 3, 2006
		Group	1654
(37 C.F.R. § 1.98(b))		IDS Filed	March 24, 2010

	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)
/AG/	Jobert et al., "Parathyroid Hormone-Induced Calcium Release from Intracellular Stores in a Human Kidney Cell Line in the Absence of Stimulation of Cyclic Adenosine 3',5'-Monophosphate Production," <i>Endocrinology</i> 138: 522
	Jouishomme et al., "The Protein Kinase-C Activation Domain of the Parathyroid Hormone," Endocrinology 130: 53-60 (1992).
	Jouishomme et al., "Further Definition of the Protein Kinase C Activation Domain of the Parathyroid Hormone," J Bone Miner. Res. 9: 943-949 (1994).
	Joun et al., "Tissue-specific Transcription Start Sites and Alternative Splicing of the Parathyroid Hormone (PTH/PTH-related Peptide (PTHP) Receptor Gene: A New PTH/PTH-P Receptor Splice Variant that Lacks the Signal Pe
	Jüppner et al., 'The Parathyroid Hormone-Like Peptide Associated with Humoral Hypercalcemia of Malignancy and Parathyroid Hormone Bind to the Same Receptor on the Plasma Membrane of ROS 17/2.8 Cells," J. Biol. Chem. 23: 8857-8850 (1989).
	Jüppner et al., "Properties of Amino-Terminal Parathyroid Hormone-Related Peptides Modified at Positions 11-13," Peptides 11: 1139-1142 (1990).
	Jüppner et al., "The Extracellular Amino-Terminal Region of the Parathyrold Hormone (PTH)/PTH-related Peptic Receptor Determines the Binding Affinity for Carboxyl-Terminal Fragments of PTH-(1-34)," Endocrinology 134: 798-804 (1984).
	Kappel et al., "Regulating Gene Expression in Transgenic Animals," Curr. Op. Biotechnol. 3: 548-553 (1992).
	Karaplis et al., "Lethal Skeletal Dysplasia From Targeted Disruption of the Parathyroid Hormone-Related Peptid Gene," Genes Dev. 8: 277-289 (1994).
	Kaufman et al., "Transgenic Analysis of a 100-kb Human Beta-Globin Cluster-Containing DNA Fragment Propagated as a Bacterial Artificial Chromosome," Blood 94: 3178-3184 (1999).
	Kaufmann et al., "Functional Expression of a Stably Transfected Parathyroid Hormone/Parathyroid Hormone Related Protein Receptor Complementary DNA in CHO cells." Mol. Cell. Endocrinol. 104: 21-27 (1994).
$\overline{\mathbf{V}}$	Kaul et al., "Stereochemical Control of Peptide Folding," Bioorg. Med. Chem. 7: 105-117 (1999).
/AG/	Kemp et al., "Parathyroid Hormone-Related Protein of Malignancy. Active Synthetic Fragments," Science 238: 1568-1570 (1987).

examiner /Anish Gupta/		DATE CONSIDERED	07/01/2010
EXAMIN form with	ER: Initial citation considered. Draw line through citation the next communication to applicant.	n if not in conformance and	d not considered. Include copy of this

SUBSTITUTE FORM PTO-1449		Attorney Docket No.	00786/540002
(MODIFIED)	PATENT AND TRADEMARK OFFICE	Serial No.	10/564,744
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		Applicant	Gardelia et al.
		Filing Date	March 3, 2006
		Group	1654
(37 C.F.R. § 1.98(b))		IDS Filed	March 24, 2010

OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)
Kimura et al., "Strategy for the Synthesis of Large Peptides: An Application to the Total Synthesis of Human Parathyroid Hormone [hPTH)1-84)]," <i>Biopolymers</i> 20: 1823-1832 (1981).
Kimura et al., "Discovery of a Novel Thrombopoietin Mimic Agonist Peptide," J. Biochem. 122: 1046-1051 (1997).
Klaus et al., "Investigation of the Solution Structure of the Human Parathyroid Hormone Fragment (1-34) by 1H NMR Spectroscopy, Distance Geometry, and Molecular Dynamics Calculations," Biochemistry 30: 6936-6942 (1991).
Kolakowski, "GCRDb: A G-Protein-Coupled Receptor Database," Receptors and Channels 2: 1-7 (1994).
Kong et al., "The Rat, Mouse and Human Genes Encoding the Receptor for Parathyroid Hormone and Parathyroid Hormone-Related Peptide are Highly Homologous," <i>Biocham. Biophys. Res. Commun.</i> 200: 1290- 1299 (1996).
Kovacs et al., "Parathyroid Hormone-Related Peptide (PTHrP) Regulates Fetal-placental Calcium Transport Through a Receptor Distinct from the PTH/PTHrP Receptor," Proc. Natl. Acad. Sci. USA 93: 15233-15238 (1996).
Kronenberg et al., "The PTH/PTHrP Receptor: One Receptor for Two Ligands," in: Molecular Genetics of Endocrine Disorders (ed. R.V. Thakker), pp. 389–420 (Chapman & Hall, New York, NY, 1997).
Lanske et al., "PTH/PTH/P Receptor in Early Development and Indian Hedgehog-Regulated Bone Growth," Science 273: 663-666 (1996).
Lee et al., "Role of the Extracellular Regions of the Parathyroid Hormone (PTH)/PTH-Related Peptide Receptor in Hormone Binding." <i>Endocrinology</i> 135: 1488-1495 (1994).
Lee et al., "Homolog-scanning Mutagenesis of the Parathyroid Hormone (PTH) Receptor Reveals PTH-(1-34) Binding Determinants in the Third Extracellular Loop," Mol. Endocrinol. 9: 1269-1278 (1995).
Li et al., "Minimization of a Polypeptide Hormone," Science 270: 1657-1660 (1995).
Lin et al., "Expression Cloning of an Adenylate Cyclase-Coupled Calcitonin Receptor," Science 254: 1022-1024 (1991).
Livnah et al., "Functional Mimicry of a Protein Hormone by a Peptide Agonist: The EPO Receptor Complex at 2.8 A," Science 273: 464-471 (1996).
Majeska et al., "Parathyroid Hormone-Responsive Clonal Cell Lines from Rat Osteosarcoma," Endocrinology 107: 1494-1503 (1980).

	examiner /Anish Gupta/	DATE CONSIDERED 07/01/2010	
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of form with the next communication to applicant.			

SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE	Attorney Docket No.	00786/540002
(MODIFIED)			10/564,744
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		Applicant	Gardella et al.
		Filing Date	March 3, 2006
		Group	1654
(37 C.F.R. § 1.98(b))		IDS Filed	March 24, 2010

OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION) Mannstald et al., "Evidence for a Ligand Interaction Site at the Amino-terminus of the Parathyroid Hormone (PTH)PTH-related Protein Receptor from Cross-Linking and Mutational Studies," J. Biol. Chem. 273: 16890- 16896 (1998). Matsumoto et al., "Daily Nasal Spray of hPTH(1-34) for 3 Months Increases Bone Mass in Osteoporotic Subject. A Pilot Study," "Osteoporos. Int. 17: 1532-1538 (2009). McCuaig et al., "Molecular Choing of the Gene Encoding the Mouse Parathyroid Hormone-Parathyroid Hormone-Related Peptide Receptor," Proc. Natl. Acad. Sci. USA 91: 5051-5055 (1994). Menntil et al., "Different Modes of Regulation for Receptors Activating Phospholipase C in the Rat Pancreatoms Cell Line ARA-2; "Mol. Pharmaco", 40: 727-733 (1991).
(PTH)PTH-related Protein Receptor from Cross-Linking and Mutational Studies," J. Biol. Chem. 273: 16890-16986 (1999). Matsumoto et al., "Daily Nasal Spray of hPTH(1-34) for 3 Months Increases Bone Mass in Osteoporotic Subject A Pilot Study," Costeoporos. Int. 17: 1532-1538 (2006). McCuaig et al., "Molecular Choining of the Gene Encoding the Mouse Parathyroid Hormone-Plantal Peptide Receptor," Proc. Natl. Acad. Sci. USA 91: 5051-5055 (1994). Menniti et al., "Different Modes of Regulation for Receptors Activating Phospholipase C in the Rat Pancreatoms
A Pilot Study," Osleoporos. Int. 17: 1532-1538 (2006). McCuaig et al., "Molecular Cloning of the Gene Encoding the Mouse Parathyroid Hormone-Parathyroid Hormone-Related Peptide Receptor," Proc. Natl. Acad. Sci. USA 91: 5051-5055 (1994). Menntil et al., "Different Modes of Regulation for Receptors Activating Phospholipase C in the Rat Pancreatoms
Hormone-Related Peptide Receptor," Proc. Natl. Acad. Sci. USA 91: 5051-5055 (1994). Mennitl et al., "Different Modes of Regulation for Receptors Activating Phospholipase C in the Rat Pancreatom.
Cell Lille ATT4-23, W.A. Frialmacon. 40. 121-133 (1881).
Mickle et al., "Genotype-Phenotype Relationships in Cystic Fibrosis," Med. Clin. North Am. 84: 597-607 (2000).
Mikayama et al., "Molecular Cloning and Functional Expression of a cDNA Encoding Glycosylation-Inhibiting Factor," Proc. Natl. Acad. Sci USA 90: 10056-10060 (1993).
Mitchell et al., "Mechanisms of Homologous and Heterologous Regulation of Parathyroid Hormone Receptors in the Rat Osteosarcoma Cell Line UMR-106," <i>Endocrinology</i> 126: 2650-2660 (1990).
Moretto et al., "(ctMe)Nva: Stereoselective Syntheses and Preferred Conformations of Selected Model Peptides J. Pept. Res. 56: 283-297 (2000).
Mullins et al., "Perspective Series: Molecular Medicine in Genetically Engineered Animals," <i>J. Clin. Invest.</i> 98: S37-S40 (1996).
Murray et al., "Dexamethasone-Treated ROS 17/2.8 Rat Dateosarcoma Cells are Responsive to Human Carboxylterminal Parathyroid Hormone Peptide hPTH (53-84): Stimulation of Alkaline Phosphatase," Calcif. Tissue int. 48; 120-123 (1991).
Musso et al., "Renal Vasodilatation and Microvessel Adenylate Cyclase Stimulation by Synthetic Parathyroid Hormone-Like Protein Fragments," Eur. J. Pharmacol. 174: 139-151 (1989).
Nakamoto et al., "Probing the Bimolecular Interactions of Parathyroid Hormone with the Human Parathyroid Hormone/Parathyroid Hormone-Related Protein Receptor. 1. Design, Synthesis and Characterization of Photoreactive Benzophenone-Containing Analogs of Parathyroid Hormone," <i>Biochemistry</i> 34: 10546-10552 (1985).

EXAMINER /ANISH GUPIA/	DATE CONSIDERED 07/01/2010
EXAMINER: Initial citation considered. Draw line through citation form with the next communication to applicant.	if not in conformance and not considered. Include copy of this

	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	Attorney Docket No.	00786/540002
		Serial No.	10/564,744
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		Applicant	Gardella et al.
		Filing Date	March 3, 2006
		Group	1654
(37 C.F.R. § 1.98(b))		IDS Filed	March 24, 2010

OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)		
/AG/	Neugebauer et al., "Structural Elements of Human Parathyroid Hormone and their Possible Relation to Biological Activities," <i>Biochemistry</i> 31: 2056-2063 (1992).	
	Neugebauer et al., "Solution Structure and Adenylyl Cyclase Stimulating Activities of C-terminal Truncated Human Parathyroid Hormone Analogues," <i>Biochemistry</i> 34: 8835-8842 (1995).	
	Ngo et al., "Chapter 14: Computational Complexity, Protein Structure Prediction, and the Levinthal Paradox," in: The Protein Folding Protein and Tertiary Structure Prediction (eds. K.M. Merz et al.), pp. 492-495 (Birkha	
	Nielsen et al., "Identification of Prokaryotic and Eukaryotic Signal Peptides and Prediction of their Cleavage Sites," Prot. Eng. 10: 1-6 (1997).	
	Nissenson et al., "Synthetic Peptides Comprising the Amino-Terminal Sequence of a Parathyroid Hormone-Like Protein from Human Mailgnancies. Binding to Parathyroid Hormone Receptors and Activation of Adenylate Cyclase in Born Cellis and Kidney." J. Biol. Chem. 265: 12866-1297 (1988).	
	Nussbaum et al., "Parathyroid Hormone • Renal Receptor Interactions. Demonstration of Two Receptor-binding Domains," <i>J. Biol. Chem.</i> 255: 10183-10187 (1980).	
	Nutt et al., "Removal of Partial Agonism from Parathyroid Hormone (PTH)-Related Protein-(7-34)NH2 by Substitution of PTH Amino Acids at Positions 10 and 11," <i>Endocrinology</i> 127: 491-493 (1990).	
0000	Oldenburg et al., "Conformational Studies on Analogs of Recombinant Parathyroid Hormone and their Interactions with Phospholipids," <i>J. Biol. Chem.</i> 271: 17582-17591 (1996).	
	Orkin et al., "Report and Recommendations of the Panel to Assess the NIH Investment in Research on Gene Therapy," available online at http://www.nih.gov/news/panelrep.html, pp. 1-39 (1995).	
	Orloff et al., "Analysis of PTHRP Binding and Signal Transduction Mechanisms in Benign and Malignant Squamous Cells," Am. J. Physiol. 262: E599-E607 (1992).	
	Orloff et al., "Further Evidence for a Novel Receptor for Amino-Terminal Parathyroid Hormone-Related Protein on Keratinocytes and Squamous Carcinoma Cell Lines," Endocrinology 136: 3016-3023 (1995).	
$\overline{\mathbf{V}}$	Orioff et al., "A Midregion Parathyroid Hormone-Related Peptide Mobilizes Cytosolic Calcium and Stimulates Formation of Inositol Trisphosphate in a Squamous Carcinoma Cell Line," <i>Endocrinology</i> 137: 5376-5385 (1996).	
/AG/	Pang et al., "Purification of Unique alpha Subunits of GTP-Binding Regulatory Proteins (G Proteins) by Affinity Chromatography with Immobilized beta gamma Subunits," <i>J. Biol. Chem.</i> 265: 18707-18712 (1990).	

EXAMINER	/Anish Gupta/	DATE CONSIDERED	07/01/2010
	l citation considered. Draw line through citatio communication to applicant.	n if not in conformance and	not considered. Include copy of this

	U.S. DEPARTMENT OF COMMERCE	Attorney Docket No.	00786/540002
(MODIFIED)	PATENT AND TRADEMARK OFFICE	Serial No.	10/564,744
		Applicant	Gardella et al.
	Filing Date	March 3, 2006	
(Use several sheets if necessary)		Group	1654
(37 C.F.R. § 1.98(b))		IDS Filed	March 24, 2010

/A	.G/	Parsons et al., "Pharmacology of Parathyroid Hormone and Some of its Fragments and Analogues," in: Calcium- regulating hormones. Proceedings of the Fifth Parathyroid Conference, Oxford, United Kingdom, Jul. 21-26, 1974 (eds. R.V. Tallrage et al.), pp. 33-39 (Am. Elsevier Pub. Co., New York, NY, 1975).
		Peggion et al., "Structure-Function Studies of Analogues of Parathyroid Hormone (PTH)-1-34 Containing Beta- Amino Acid Residues in Positions 11-13," <i>Biochemistry</i> 41: 8162-8175 (2002).
		Pellegrini et al., "Addressing the Tertiary Structure of Human Parathyroid Hormone-(1-34)," J. Biol. Chem. 273: 10420-10427 (1998).
		Pettit et al., "The Development of Site-Specific Drug-Delivery Systems for Protein and Peptide Biopharmaceuticals," <i>Trends Biotechnol.</i> 16: 343-349 (1998).
		Phillips, "The Challenge of Gene Therapy and DNA Delivery," J. Pharm. Pharmacol. 53: 1169-1174 (2001).
		Pines et al., "Generation and Characterization of Human Kidney Cell Lines Stably Expressing Recombinant Human PTH/PTH/P Receptor. Lack of Interaction with a C-Terminal Human PTH Peptide," Endocrinology 135: 1713-1716 (1
		Pines et al., "Inositol 1-4-,5-Trisphosphate-Dependent Ca2+ Signaling by the Recombinant Human PTH/PTHrP Receptor Stably Expressed in a Human Kidney Cell Line," Bone 18: 381-389 (1996).
		Plotkin et al., "Dissociation of Bone Formation from Resorption during 2-week Treatment with Human Parathyroid Homone-Related Peptide (1-36) in Humans: Potential as an Anabolic Therapy for Osteoporosis," J. Clin. Erdocin
		Potts et al., "Structure Based Design of Parathyroid Hommone Analogs," J. Endocrinol. 154 Suppl: S15-S21 (1997).
		Potts et al., "Parathyroid Hormone and Parathyroid Homone-Related Peptide in Calcium Homeostasis. Bone Metabolism, and Bone Development." The Proteins, Their Genes, and Recoptions," in: Metabolic Bone Disease, 3rd Edition (eds. L.V. Aviol et al., pp. 61-94 (Acad. Press, San Depo, CA, 1998).
		Ray et al., "NMR Solution Structure of the [Ala26]Parathyroid-Hormone-Related Protein(1-34) Expressed in Humoral Hypercalcemia of Malignancy," Eur. J. Biochem. 211: 205-211 (1993).
1	V	Reid et al., "Parathyroid Hormone Acutely Elevates Intracellular Calcium in Osteoblastike Cells," Am. J. Physiol. 253: E45-E51 (1987).
/A	G/	Reidhaar-Clson et al., "Active Variants of Human Parathyroid Hormone (1-34) with Multiple Amino Acid Substitutions," Mol. Cell. Endocrinol. 160: 135-147 (2000).

examiner /Anish Gupta/	DATE CONSIDERED 07/01/2010
EXAMINER: Initial citation considered. Draw line through citation	n if not in conformance and not considered. Include copy of this

form with the next communication to applicant.

SUBSTITUTE FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE	Attorney Docket No.	00786/540002	
(MODIFIED)	PATENT AND TRADEMARK OFFICE	Serial No.	10/564,744
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		Applicant	Gardella et al.
		Filing Date	March 3, 2006
		Group	1654
(37 C.F.R. § 1.98(b))		IDS Filed	March 24, 2010

/AG/	Rixon et al., "Parathyroid Hormone Fragments May Stimulate Bone Growth in Ovariectomized Rats by Activating Adenylyl Cyclase," J. Bone Miner. Res. 9: 1179-1189 (1994).
	Roe et al., "Parathyroid Hormone 1–34 (hPTH 1–34) and Estrogen Produce Dramatic Bone Density Increases in Postmenopausal Osteoporosis. Results from a Placebo-Controlled Randomized Trial," <i>J. Bone Miner. Res.</i> 14: 5137, Abstract M. 1019 (1998).
	Romano et al., "Latest Developments in Gene Transfer Technology: Achievements, Perspectives, and Controversies over Therapeutic Applications," Slem Cells 18: 19-39 (2000).
	Rosenblatt et al., "Design and Synthesis of Parathyroid Hormone Analogues of Enhanced Biological Activity," Endocr. Res. Commun. 4: 115-133 (1977).
	Rosenblatt et al., "Identification of a Receptor-binding Region in Parathyroid Hormone," <i>Endocrinology</i> 107: 545 550 (1980).
	Rosenblatt, "Parathyrold Hormone: Chemistry and Structure-Activity Relations," Pathobiol. Annu. 11: 53-86 (1981).
	Rosol et al., "Sequences of the cDNAs Encoding Canine Parathyroid Hormone-Related Protein and Parathyroid Hormone," Gene 180: 241-243 (1995).
	Rubin et al., "Molecular Cloning and Expression of Receptors for Parathyroid Hormone (PTH) and PTH-Related (PTH/P) Protein in Zebrafish," <i>Am. Zoologist</i> 36: 97A, Abstract No. 373 (1996).
	Rubin et al., "Parathyroid Hormone (PTH)/PTH-Related (PTHRP) Receptor Cloning and in Situ Hybridization in the Zebrafish, Danio Rerio," Am. Zoologist 37: 181A, Abstract No. 651 (1997).
	Rubin et al., "Molecular Cloning of a Zebrafish cDNA Encoding a Novel Parathyroid Hormone (PTH)PTH- Related Protein (PTHrP) Receptor (PPR)," Bone 23: S255, Abstract No. T224 (1998).
	Rubin et al., "Zebrafish Express the Common Parathyroid Hormone/Parathyroid Hormone-Related Peptide Roceptor (PPH1R) and a Novel Recoptor (PPH3R) that is Preferentially Activated by Mammalian and Fugufish Parathyroid Hormone-Related Peptide "J. Biol. Chem. 274; 28185-28190 (1999)
	Sacchetti et al., "Green Fluorescent Protein Variants Fold Differentially in Prokaryotic and Eukaryotic Cells," J. Cell. Biochem. Suppl. 36: 117-128 (2001).
\bigvee	Sargent et al., "Membrane Lipid Phase as Catalyst for Peptide-Receptor Interactions," Proc. Natl. Acad. Sci. US 83: 5774-5778 (1986).
/AG/	Schipani et al., "Identical Complementary Deoxyribonucleic Acids Encode a Human Renal and Bone Parathyroid Hormone (PTH)/PTH-Related Peptide Receptor," <i>Endocrinology</i> 132: 2157-2165 (1993).

EXAMINER /Anish Gupta/		DATE CONSIDERED	07/01/2010	
EXAMINER: Initial citation considered. Draw line through citation if form with the next communication to applicant.			on if not in conformance and	not considered. Include copy of this

	(MODIFIED) PATENT AND TRADEMARK OFFICE	Attorney Docket No.	00786/540002	
		Serial No.	10/564,744	
	INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		Applicant	Gardella et al.
			Filing Date	March 3, 2006
			Group	1654
	(37 C.F.R. § 1.98(b))		IDS Filed	March 24, 2010

/AG/	Schipani et al., "Pseudohypoparathyroidism Type Ib is not Caused by Mutations in the Coding Exons of the Human Parathyroid Hormone (PTH)/PTH-Related Peptide Receptor Gene," J. Clin. Endocrinol. Metab. 50: 1811- 1621 (1995).
***************************************	Schipani et al., "A Constitutively Active Mutant PTH-PTH/P Receptor in Jansen-Type Metaphyseal Chondrodysplasia," Science 268: 98-100 (1995).
	Schneider et al., "Cloning and Functional Expression of a Human Parathyroid Hormone Receptor," Eur. J. Pharmacol. 246: 149-155 (1993).
	Schneider et al., "A C-Terminally Truncated Human Parathyroid Hormone Receptor is Functional and Activates Multiple G Proteins," FEBS Lett. 351: 281-285 (1994).
	Segre et al., "Characterization of Parathyroid Hormone Receptors in Canine Renal Cortical Plasma Membranes Using a Radiolodinated Suffur-Free Hormone Analogue. Correlation of Binding with Adenylate Cyclase Activity," J. Biol. Chem. 254: 6980-6986 (1979).
	Segre et al., "Receptors for Secretin, Calcitonin, Parathyroid Homone (PTH)/PTH-Related Peptide, Vasoactive Intestinal Peptide, Glucagonikle Peptide I, Growth Homone-Releasing Homone, and Glucagon Belong to a Newly Discovered G-protein-Linder Receptor Family," "Pends Endocrinol, Metab. 3, 505-314 (1993).
	Seuwen et al., "Heparin-Insensitive Calcium Release from Intracellular Stores Triggered by the Recombinant Hurnan Parathyroid Hormone Receptor," <i>Br. J. Pharmacol.</i> 114: 1613-1620 (1995).
	Shen et al., "Effects of Combined and Separate Intermittent Administration of Low-Dose Human Parathyroid Hormone Fragment (1-3) and 17 Beta-Estination of Born Histomorphometry in Ovariectomized Rats with Established Osleopenia," Cacht, Tissue Int. 50: 214-220 (1992).
	Shigeno et al., "Parathyroid Hormone Receptors are Plasma Membrane Glycoproteins with Asparagine-Linked Oligosaccharides," J. Biol. Chem. 263: 3872-3878 (1968).
	Shimada et al., "Purification and Characterization of a Receptor for Human Parathyroid Hormone and Parathyroid Hormone-Related Peptide," <i>J. Biol. Chem.</i> 277: 31774-31780 (2002).
	Shimizu et al., "Type-Substitution Analysis of the Amino-Terminal Fragment of Parathyroid Hormone, PTH(1-14): An Approach toward New Low Molecular Weight PTH Agonists," J. Bone Miner, Res. 14: S289, Abstract No. 7398 (1999).
	Shimizu et al., "Residue 19 of the Parathyroid Hormone (PTH) Modulates Ligand Interaction with the Juxtamembrane Region of the PTH-1 Receptor," <i>Biochemistry</i> 41: 13224-13233 (2002).
/AG/	Shimizu et al., "Structurally Varied Conformationally Constrained Amino Acids Substitutions at Positions 1 and 3 of PTH(1-14) Preserve or Enhance PTR Binding Affinity and cAMP-signaling Potency," J. Bone Miner. Res. 17: S389 (2002).

EXAMINER /Anish Gupta/	DATE CONSIDERED 07/01/2010
EXAMINER: Initial citation considered. Draw line through citation	if not in conformance and not considered. Include copy of this

form with the next communication to applicant.

SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	Attorney Docket No.	00786/540002
(MODIFIED)		Serial No.	10/564,744
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) (37 C.F.R. § 1.96(b))		Applicant	Gardella et al.
		Filing Date	March 3, 2006
		Group	1654
		IDS Filed	March 24, 2010

/AG/	Shimizu et al., "Novel Parathyroid Hormone (PTH) Antagonists that Bind to the Juxtamembrane Portion of the PTH/PTH-Related Protein Receptor," J. Biol. Chem. 280: 1797-1807 (2005).
	Shukunami et al., "Chondrogenic Differentiation of Clonal Mouse Embryonic Cell Line ATDC5 In Vitro: Differentiation-dependent Gene Expression of Parathyroid Hormone (PTH)PTH-related Peptide Receptor," J. Cell Biol. 133,
	Siegfried et al., "Parathyroid Hormone Stimulates Ecto-5'-Nucleotidase Activity in Renal Epithelial Cells: Role of Protein Kinase-C," Endocrinology 136:1267-1275 (1995).
	Simon et al., "Diversity of G Proteins in Signal Transduction," Science 252: 802-808 (1991).
	Skolnick et al., "From Genes to Protein Structure and Function: Novel Applications of Computational Approaches in the Genomic Era," <i>Trends Biotechnol.</i> 18: 34-39 (2000).
	Smith et al., "The Challenges of Genome Sequence Annotation or "The devil is in the details"," Nat. Biotechnol. 15: 1222-1223 (1997).
	Strathmann et al., "G Protein Diversity: A Distinct Class of alpha Subunits is Present in Vertebrates and Invertebrates," Proc. Natl. Acad. Sci. USA 87: 9113-9117 (1990).
	Strojek et al., "The Use of Transgenic Animal Techniques for Livestock Improvement," in: Genetic Engineering: Principles and Methods, vol. 10 (eds. J.K. Setlow et al.), pp. 221-246 (Plenum Press, New York, NY, 1988).
	Stroop et al., "Chimeric Human Calcitonin and Glucagon Receptors Reveal Two Dissociable Calcitonin Interaction Sites," <i>Biochemistry</i> 34: 1050-1057 (1995).
	Sunyaev et al., "From Analysis of Protein Structrual Alignments Toward a Novel Approach to Align Protein Sequences," <i>Proteins</i> 54: 569-582 (2004).
	Suva et al., "A Parathyroid Hormone-Related Protein Implicated in Malignant Hypercalcemia: Cloning and Expression," Science 237: 893-896 (1987).
	Szabo, "In Situ Hybridization," in: Human Chromosomes: Manual of Basic Techniques (eds. R.S. Verma et al.), pp. 152-165 (Pergamon Press, New York, NY,1989).
V	Takasu et al., "The 59-84 Amino Acid Region of the Parathyroid Hormone Molecule is Essential for the Interaction of the Hormone with the Binding Sites with Carboxy-terminal Specificity," Endocrinology 137: 5537- 543 (1990).
/AG/	Takasu et al., "Human PTH/PTHrP Receptors and Type-2 PTH Receptors Show Discordant Selectivity for Human PTH Analogs with Amino-Terminal Modifications," <i>Bone</i> 23:S255, Abstract No. T223 (1998).

EXAMINER /Anish Gupta/	DATE CONSIDERED 07/01/2010		
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.			

SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE	Attorney Docket No.	00786/540002
(MODIFIED) PATENT AND TRADEMARK OFFICE		Serial No.	10/564,744
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) (37 C.F.R. § 1.98(b))		Applicant	Gardella et al.
		Filing Date	March 3, 2006
		Group	1654
		IDS Filed	March 24, 2010

/AG/	Takasu et al., "Phospholipase C Activation via the Human PTH/PTH/P Receptor Requires an Intact Amino- Terminus of Human PTH," <i>Bone</i> 23: S447, Abstract No. F148 (1998).
	Takasu et al., "Type-1 Parathyroid Hormone (PTH)/PTH-Related Peptide (PTHiP) Receptors Activate Phospholipase C in Response to Carboxyl-funcated Analogs of PTH(1-34)," <i>Endocrinology</i> 139: 4293-4299 (1998).
	Takasu et al., "Dual Signaling and Ligand Selectivity of the Human PTH/PTHrP Receptor," J. Bone Miner. Res. 14: 11-20 (1999).
	Tamura et al., "Parathyroid Hormone 1-34, but not 3-34 or 7-34, Transiently Translocates Protein Kinase C in Cultured Renal (OK) Cells," <i>Biochem. Biophys. Res. Commun.</i> 159: 1352-1358 (1989).
	Tan et al., "Peptide Agonist Docking in the N-Terminal Ectodomain of a Class II G Protein-Coupled Receptor, th VPAC1 Receptor, Photoaffinity, NMR, and Molecular Modeling," J. Biol. Chem. 281: 12792-12798 (2006).
	Treanor et al., "Characterization of a Multicomponent Receptor for GDNF," Nature 382: 80-83 (1996).
	Tregear et al., "Synthetic Analogues of Residues 1-34 of Human Parathyroid Hormone: Influence of Residue Number 1 on Biological Potency in Vitro," <i>Endocr. Res. Commun.</i> 2: 561-570 (1975).
	Tsomaia et al., "Cooperative Interaction of Arginine-19 and the N-Terminal Signaling Domain in the Affinity and Potency of Parathyroid Hormone," Biochemistry 43: 3459-3470 (2004).
	Tsomaia et al., "Toward Parathyroid Hormone Minimization: Conformational Studies of Cyclic PTH(1-14) Analogues," Biochemistry 43: 690-699 (2004).
	Turner et al., "A Putative Selectivity Filter in the G-Protein-Coupled Receptors for Parathyroid Hormone and Secretin," J. Biol. Chem. 271: 9205-9208 (1996).
	Turner et al., "Single Mutations Allow the PTH2 Receptor to Respond to PTHrP," J. Bone Miner. Res. 12: S133, Abstract No. 121 (1997).
	Turner et al., "Transmembrane Residues Together with the Amino Terminus Limit the Response of the Parathyroid Hormone (PTH) 2 Receptor to PTH-Related Peptide," J. Biol. Chem. 273: 3830-3837 (1998).
	Ultrich et al., "Signal Transduction by Receptors with Tyrosine Kinase Activity," Cell 61: 203-212 (1990).
/AG/	Unson et al., "Characterization of Deletion and Truncation Mutants of the Rat Glucagon Receptor. Seven Transmembrane Segments are Necessary for Receptor Transport to the Plasma Membrane and Glucagon Binding.", <i>Biol. Chem.</i> 270: 27720-27727 (1995).

EXAMINER /Anish Gupta/	DATE CONSIDERED	07/01/2010
EXAMINER: Initial citation considered. Draw line through citation form with the next communication to applicant.	if not in conformance and	not considered. Include copy of this

SUBSTITUTE FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE	Attorney Docket No.	00786/540002	
(MODIFIED) PATENT AND TRADEMARK OFFICE		Serial No.	10/564,744
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) (37 C.F.R. § 1.98(b))		Applicant	Gardella et al.
		Filing Date	March 3, 2006
		Group	1654
		IDS Filed	March 24, 2010

/AG/	Ureña et al., "Regulation of Parathyroid Hormone (PTH)/PTH-Related Peptide Receptor Messenger Ribonucleic Acid by Glucocorticoids and PTH in ROS 17/2.8 and OK Cells," Endocrinology 134: 451-456 (1994).
	Usdin et al., "Identification and Functional Expression of a Receptor Selectively Recognizing Parathyroid Hormone, the PTH2 Receptor," <i>J. Biol. Chem.</i> 270: 15455-15458 (1995).
	Verma et al., "Gene Therapy- Promises, Problems and Prospects," Nature 389: 239-242 (1997).
	Voet et al., "3. Chemical Evolution," in: Biochemistry (eds. D. Voet et al.), pp. 126-128 and 228-234 (Wiley, New York, NY, 1990).
	Vogt et al., "An Assessment of Amino Acid Exchange Matrices in Aligning Protein Sequences: The Twilight Zone Revisited," J. Mol. Biol. 249: 816-831 (1995).
	Wall, "Transgenic Livestock: Progress and Prospects for the Future," Theriogenology 45: 57-68 (1996).
	Wang et al., "Rapid Analysis of Gene Expression (RAGE) Facilitates Universal Expression Profiling," Nucleic Acids Res. 27: 4609-4618 (1999).
	Wells, "Additivity of Mutational Effects in Proteins," Biochemistry 29: 8509-8517 (1990).
	Wells, "Hormone Mimicry," Science 273: 449-450 (1996).
	Whitfield et al., "Restoration of Severely Depleted Femoral Trabecular Bone in Ovariectomized Rats by Parathyroid Hormone-(1-34)," Calcif. Tissue Int. 56: 227-231 (1995).
	Whitfield et al., "Small Bone-Building Fragments of Parathyroid Hormone: New Therapeutic Agents for Osteoporosis," <i>Trends Pharmacol. Sci.</i> 16: 382-386 (1995).
	Whitfield et al., "Stimulation of the Growth of Femoral Trabecular Bone in Ovariectomized Rats by the Novel Parathyroid Hormone Fragment, hPTH-(1-31)NH2 (Ostabolin)," Calcif. Tissue Int. 58: 81-87 (1996).
	Whitfield et al., "Comparison of the Ability of Recombinant Human Parathyroid Hormone, rhPTH-(1-84), and nPTH-(1-31)NH2 to Stimulate Femoral Trabecular Bone Growth in Ovariectomized Rats," Calof. Tissue Int. 60: 26-29 (1997).
$\overline{\mathbf{V}}$	Wigley et al., "Site-Specific Transgene Insertion: An Approach," Reprod. Fertil. Dev. 6: 585-588 (1994).
/AG/	Wittelsberger et al., "The Mid-Region of Parathyroid Hormone (1-34) Serves as a Functional Docking Domain in Receptor Activation," <i>Biochemistry</i> 45: 2027-2034 (2006).

	EXAMINER	/Anish Gupta/	DATE CONSIDERED	07/01/2010
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of form with the next communication to applicant.			not considered. Include copy of this	

SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE	Attomey Docket No.	00786/540002
(MODIFIED)	PATENT AND TRADEMARK OFFICE	Serial No.	10/564,744
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		Applicant	Gardella et al.
		Filing Date	March 3, 2006
		Group	1654
(37 C.F.R. § 1.98(b))		IDS Filed	March 24, 2010

/AG/	Wrighton et al., "Small Peptides as Potent Mimetics of the Protein Hormone Erythropoletin," Science 273: 458-463 (1996).
	Wu et al., "Structural and Physiologic Characterization of the Mid-region Secretory Species of Parathyroid Hormone-Related Protein," J. Biol. Chem. 271: 24371-24381 (1996).
	Yamaguchi et al., "Parathyroid Hormone-Activated Calcium Channels in an Oateoblast-Like Clonal Osteosrcoma Cell Line: CAMP-Dependent and cAMP-Independent Calcium Channels," J. Biol. Chem. 282: 7711-7718 (1967).
	Yamamoto et al., "Characterization and Agonist-Induced Down-Regulation of Parathyroid Hormone Receptors in Clonal Rat Osteosarcoma Cells," Endocrinology 122:1208-1217 (1988).
	Yamamoto et al., "Parathyroid Hormone-Related Peptide-(1-34) [PTH-P-(1-34)] Induces Vasopressin Release from the Rat Supraoptio Nucleus in Vitor Through a Novel Receptor Distinct from a Type I or Type II PTH-PTH-P Receptor," Endocrinology 133, 2056-2072 (1997).
	Yamamoto et al., "Centrally Administered Parathyroid Hormone (PTH)-Related Protain(1-34) but not PTH(1-34) Stimulates Arginine-Vasopressis facerotion and is Messenger Ribbonucles Acid Expression in Supraportic Nucleus of the Conscious Rate," <i>Endocrinology</i> 139: 363-386 (1990), (Printed with erroneous volume no. 138)
	Yan et al., "Two-Amino Acid Molecular Switch in an Epithelial Morphogen that Regulates Binding to Two Distinct Receptors," Science 290: 523-527 (2000).
	Zhou et al., "Direct Mapping of an Agonist-Binding Domain within the Parethyroid Hormone/Parathyroid Hormone-Related Protein Receptor by Photoaffinity Crosslinking," <i>Proc. Natl. Acad. Sci. USA</i> 94: 3644-3649 (1997).
/AG/	International Search Report for PCT/US04/22830 (mailed March 18, 2005).

	EXAMINER /Anish Gunta/	DATE CONSIDERED 07/01/2010	
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this			